

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Reviewed on 05/16/2019

Identification
101-11110-71101

- · Product Identifier
- · Trade Name: Artificial Perspiration, ISO 1164, stabilized
- · Product Number: 1700-0509, 1700-0524
- Relevant identified uses of the substance or mixture and uses advised against:
- No further relevant information available.
- · Product Description: Artificial Perspiration according to ISO 1164
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier: Pickering Laboratories, Inc. 1280 Space Park Way Mountain View, CA 94043 Phone: (650) 694-6700 Fax: (650) 968-0749 www.pickeringlabs.com support@pickeringlabs.com Emergency telephone number:
- Clean Harbors Environmental Services 1-800-645-8265

2 Hazard(s) Identification

- Classification of the substance or mixture: The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- · Label elements:
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None

3 Composition/Information on Ingredients							
· Non-hazardous com	ponents:						
CAS: 7732-18-5	Water, distilled water, deionized water	97-98%					
CAS: 7647-14-5	Sodium Chloride	≤ 1.0%					
CAS: 57-13-6 RTECS: YR 6250000	Urea	≤ 0.05%					

• Chemical characterization: Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Reviewed on 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

· Dangerous Components:				
CAS: 77-86-1	Tris(hydroxymethyl)aminomethane	≤ 1.0%		
RTECS: TY 2900000	Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320			
CAS: 139-13-9	Nitrilotriacetamine	≤ 0.05%		
	🚸 Carc. 2, H351; 0 Acute Tox. 4, H302; Eye Irrit. 2A, H319			
CAS: 26172-55-4	Methyl Chloro Isothiazolinone	<0.1%		
	♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Sens. 1, H317			
4 First-Aid Measur	es			

Description of first aid measures

- · After inhalation: Not anticipated under normal use.
- · After skin contact:

Immediately wash with 1% acetic acid (or vinegar) to neutralize, followed with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. For chemical burns, apply sterile bandage securely but not to tightly. Seek medical assistance.

• After eye contact:

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After swallowing:

Give water freely and/or 1% acetic acid (or vinegar) followed by milk. Do not induce vomitting. Get medical assistance immediately.

· Information for doctor

- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: No further relevant information is available.
- Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• *Personal precautions, protective equipment and emergency procedures:* Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

· Handling

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

· Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

- · Storage
- *Requirements to be met by storerooms and receptacles:* Store at room temperature.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters:

Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Personal protective equipment
- General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

- · Material of gloves: Latex or vinyl
- Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 4)

Reviewed on 05/16/2019



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Reviewed on 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

• Eye protection:



Tightly sealed goggles

Body protection: Lab coat

9 Physical and Chemical Properties

 Information on basic physical and cl General Information Appearance: 	hemical properties			
Form:	Liquid			
Color: · Odor:	Colorless Odorless			
· Odor threshold:	Not determined.			
· pH-value:	Not applicable.			
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.			
· Flash point:	None			
• Flammability (solid, gaseous):	Not applicable.			
• Decomposition temperature:	Not determined.			
· Auto igniting:	Product is not self-igniting.			
• Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower: Upper:	Not determined. Not determined.			
· Vapor pressure:	Not determined.			
Density:				
Relative density:	Not determined.			
Vapor density: Evaporation rate:	Not determined. Not determined.			
· Solubility in / Miscibility with:				
Water:	Aqueous solution			
Partition coefficient (n-octanol/water): Not determined.				
· Viscosity:				
Dynamic:	Not determined.			
Kinematic: • Other information:	Not determined. No further relevant information available.			
10 Stability and Reactivity				

· *Reactivity:* No further relevant information available.

· Chemical stability: Stable under normal conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

- · Possibility of hazardous reactions: No dangerous reactions known.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: No data available.
- Primary irritant effect:
- · On the skin: No irritating effect.
- On the eye: No irritating effect.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- IARC (International Agency for Research on Cancer):
- Substance is not listed.

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water.
- Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

· Waste treatment methods

• Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.

Reviewed on 05/16/2019



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Reviewed on 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transpo	rt Information				
ADR/ADN	er: , IMDG, IATA [,] shipping name:	Non-Regulated Material Non-Regulated Material Not Regulated			
	/ADN, ADN, IMDG, IATA hazard class(es):	Non-Regulated Material			
· DOT, ADR · Class: · Packing g	/ADN, ADN, IMDG, IATA	Non-Regulated Material			
· DOT, ADR · Environm	/ADN, IMDG, IATA ental hazards: ecautions for user:	Non-Regulated Material Not applicable. Not applicable.			
Transport MARPOL7	<i>in bulk according to Annex I '3/78 and the IBC Code: I Regulation":</i>				
15 Regulato	ory Information				
SARÁ (Su Section 3	alth and environmental regul perfund Amendments and R 55 (extremely hazardous sub e ingredients are listed.	-	or mixture:		
	13 (Specific toxic chemical lis	stings):			
	e ingredients are listed.	sungo).			
	xic Substances Control Act):	,			
	Sodium Chloride				
57-13-6	Urea				
50-21-5	Lactic Acid				
7732-18-5	Water, distilled water, deionize	ed water			
	Proposition 65:				
	s known to cause cancer:				
	e ingredients are listed.				
	s known to cause reproduction	ve toxicity for females:			
	e ingredients are listed.				
	s known to cause reproduction	ve toxicity for males:			
None of the	e ingredients are listed.				
	s known to cause developme	ental toxicity:			
None of the ingredients are listed.					
•	nic categories:				
	ronmental Protection Agenc	y):			
57-13-6 U	57-13-6 Urea II				

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 05/16/2019

Reviewed on 05/16/2019

Trade Name: Artificial Perspiration, ISO 1164, stabilized

- TLV (Threshold Limit Value established by ACGIH):
- None of the ingredients are listed.
- NIOSH-Ca (National Institute for Occupational Safety and Health):
- None of the ingredients are listed.
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · National regulations:
- None of the ingredients are listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

6 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of last revision/ revision number: 05/16/2019 / 8 Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 * * Data compared to the previous version altered. +1-877-204-9106

SDS created by MSDS Authoring Services www.msdsauthoring.com